

AMENDMENTS TO THE CLAIMS

Please amend the claims as set forth below:

1. (Currently Amended) A pen input device comprising:
a touch screen panel for receiving a pen input from a user and displaying input data corresponding to the received pen input;
an entry field generating portion for generating at least one displayed entry field inside substantially surrounded by a boundary line when the user draws the boundary line for forming an entry frame;
a controller for resizing the entry field to be suitable for the input data's size whenever input data is input to the generated entry field, wherein resizing the entry field includes modifying at least one of a displayed length and a displayed width of the entry field; and
a memory unit for storing recognition information related to the entry field and the input data.

2. (Previously Presented) The pen input device as set forth in claim 1, wherein the entry field generating portion generates the entry field by smoothing the boundary line based on a previously stored entry frame shape.

3. (Original) The pen input device as set forth in claim 1, wherein the entry field includes a virtual cell with a size that is adjusted to be suitable for the size of the input data.

4. (Original) The pen input device as set forth in claim 3, wherein, when the input data is handwritten data, the controller detects a beginning point and an end point of strokes of the handwritten data, and, provides information of a finally modified size of the virtual cell obtained when the end point is detected in the entry field generating portion.

5. (Original) The pen input device as set forth in claim 4, wherein the entry field generating portion newly sets the entry field's size based on the information of the finally modified size of the virtual cell.

6. (Original) The pen input device as set forth in claim 4, wherein the controller recognizes the handwritten data of the virtual cell as one stroke group, and converts the recognized handwritten data to computer-recognizable data.

7. (Original) The pen input device as set forth in claim 1, wherein, in response to a user's request, the controller sets an inherent attribute of a virtual cell of the entry field.

8. (Original) The pen input device as set forth in claim 7, wherein the controller duplicates the entry field to generate a page-based database and enables the memory unit to store the page-based database.

9. (Currently Amended) The pen input device as set forth in claim 7, wherein the inherent attribute defines the entry field to be one of a fixed entry field in which the virtual cell's size and the input data cannot be modified by the user and a reserved entry field in which the virtual cell's size and the input data ~~cannot~~can be modified by the user, and defines a type of the entry data.

10. (Currently Amended) A pen input method comprising the steps of:

(a) generating, when a user draws a boundary line for forming an entry frame through a pen input on a touch screen panel, at least one displayed entry field ~~inside~~substantially surrounded by the boundary line;

(b) generating a virtual cell corresponding to the entry field for entering data;

(c) modifying the virtual cell's size in real time in response to entry of data into the virtual cell; and

PATENT APPLICATION
Attorney Docket No: 678-1104 (P10576)

(d) when the entry of the data into the virtual cell is completed, resizing the entry field to be suitable for the entry of the data's size, wherein resizing the entry field includes modifying at least one of a displayed length and a displayed width of the entry field.

11. (Previously Presented) The pen input method as set forth in claim 10, wherein, in the step (a), generating the at least one displayed entry field includes smoothing the boundary line based on a previously stored entry frame shape.

12. (Original) The pen input method as set forth in claim 10, wherein, when the data entered into the virtual cell is handwritten data, the step (c) comprises the steps of:

- (c1) detecting a beginning point and an end point of the handwritten data;
- (c2) modifying the virtual cell's size while displaying a trace of the handwritten data; and
- (c3) storing information on the modified virtual cell's size during a period until the end point is detected.

13. (Original) The pen input method as set forth in claim 10, further comprising the step of:
(e) in response to a user's request, setting an inherent attribute of the virtual cell of the entry field.

14. (Currently Amended) The pen input method as set forth in claim 13, wherein the inherent attribute defines the entry field to be one of a fixed entry field in which the virtual cell's size and the entered data cannot be modified by the user, and a reserved entry field in which the virtual cell's size, and the entered data ~~cannot~~can be modified by the user, and the inherent attribute defines a type of the entry data.

15. (Original) The pen input method as set forth in claim 10, further comprising the steps of:

(f) in response to a user's request, duplicating the entry field to generate a page-based database; and

(g) storing the generated page-based database in a memory.

16. (Original) The pen input method as set forth in claim 10, further comprising the step of:

(h) recognizing handwritten data entered into the virtual cell as one stroke group, and converting the recognized handwritten data to computer-recognizable data.

17. (New) The pen input device as set forth in claim 1, wherein the generated entry field is resized according to whether the data input to the generated entry field extends beyond a boundary of the generated entry field.

18. (New) The pen input device as set forth in claim 1, wherein the generated entry field is displayed as an empty entry field.

19. (New) The pen input method as set forth in claim 10, wherein the generated entry field is resized according to whether the data input to the generated entry field extends a beyond boundary of the generated entry field.

20. (New) The pen input method as set forth in claim 10, wherein the generated entry field is displayed as an empty entry field.